



# Catalog



[www.westparts.com](http://www.westparts.com)



## Westparts B.V. **Since 1992**

Specialized in cutting, pruning & fastening tools for 30 years



A true family business and specialized in cutting, pruning and fastening tools for 30 years. Through an extensive network, own import and production, an eye on the future and a considerable stock, our golden team, with a lot of knowledge about the product and the market, provides a very solid and trusted service.

Visit our website for  
all detailed product information  
[www.westparts.com](http://www.westparts.com)



### Shears

- Harvesting shears
- Pruning shears
- Premium cleaners
- Sharpening tools
- Universal holsters
- Universal shears
- Wire cutters
- Handy scissors
- Budget Line scissors
- Utility scissors
- Craft shears & florist's scissors
- Grass shears
- Hedge shears
- Loppers
- Long reach loppers

### Rose strippers

### Saws

- Pruning saws with wooden handle
- Pruning saws with plastic handle
- Foldable pruning saws
- Hack saws

### Pruning at heights

- Long reach pruners
- Telescopic long reach pruners
- Telescopic pole saws
- Pruning saws for poles
- Telescopic poles
- ARS accessories
- Pruning elements

### Axes

### Gift sets

### 6

- 6 - 7
- 8 - 11
- 12
- 13
- 13
- 14
- 14
- 15
- 15
- 16
- 17 - 19
- 19
- 20 - 21
- 22 - 23
- 23

### 24

### 25

- 25
- 26 - 28
- 29
- 37

### 30

- 30 - 31
- 32 - 33
- 34 - 35
- 35
- 36 - 37
- 38
- 39

### 40

### 41

### Knives

- Strip steel knives
- Knives with plastic handle
- Victorinox knives
- Knives with wooden handle
- Pocket knives
- Oculate & copulate
- Disinfection knives and leaf cutters
- Utility knives
- Tomato knives
- Filleting knives
- Fish knives & fish scissors
- Gutting knives
- Butcher & chef knives
- Special knives
- Hollowing knives
- Spinach knives
- Sharpening steel
- Magnetic strips

### Fastening tools

- Staplers
- Staple guns
- Cable staple guns
- Hammer tackers
- Electric tackers
- Pneumatic tackers
- Fence pliers
- Punch pliers
- Riveters
- Hot-air guns
- Glue and glue guns
- Staples
- Nails
- Eyelets & grommets
- Rivets
- Hogrings

### Garden sprayers

### Terms and conditions

### 44

- 44 - 45
- 46 - 48
- 49
- 50 - 54
- 54 - 56
- 56
- 57
- 58
- 58
- 59
- 60
- 61
- 62 - 63
- 62
- 63
- 64
- 65
- 65

### 66

- 66
- 67 - 68
- 68
- 69
- 69
- 70
- 70
- 71
- 71
- 71
- 72 - 73
- 74 - 78
- 79 - 80
- 80
- 81
- 82 - 83

### 84

### 85

# Specialist in cutting, pruning and fastening tools

## Hedge trimmers

The extensive range of hedge trimmers of the brands ARS and Metallo offer a perfect choice for every application. Craftsmanship requires specialist tools, comfortable handles and razor-sharp knives for a clean cutting result. Westparts is the answer to your need for a top product!

## Loppers

Loppers made by ARS and Metallo guarantee the success of any pruning job. While Metallo offers, among other things, the "Gear Power" and "Silver-Line" loppers, ARS offers a wide range in the upper segment. The choice is yours or your customer's.

## Telescopic poles and pole saws

If you can't get high enough with the telescopic loppers, the telescopic poles and pruning elements are the outcome. These can be used to reach heights up to approximately 6 metres in height. By using only high quality and lightweight material, even pruning at height can be done effortlessly.

## Germo-Products

This specially developed line is designed to follow the strict guidelines set for the harvesting of various crops. There is the Germo-Knife, where liquid in the handle moistens the blade to help prevent cross-contamination. And there is the Leaf-Cutter, which removes excess leaves from e.g. tomato plants without damaging the fruit.

## Knives

Westparts carries an impressive line of knives from brands such as Metallo and Friedrich Herder, with both plastic and wooden handles. The knives are traditionally produced according to the world famous principle, which finds its foundation in Solingen.

## Pruning shears

Ergonomics is a matter of course for ARS and Metallo pruning shears. A complete range of pruners for all types of cutting for the professional user and the demanding consumer. By using only high quality materials ARS and Metallo excel in its quality and durability. A responsible choice with a 10-year warranty on almost all products.

## Grass shears

These shears are available in different sizes for a wide range of applications. Due to the friction-reducing coating, cutting with Metallo has become an easy job. The telescopic grass shears and the (telescopic) lawn edge trimmers can be adjusted to the desired length. This reduces the risk of complaints and injuries during use.

## Pruning saws

A wide range of pruning saws of very high quality. A class product, equipped with innovative tooth-setting and friction-reducing ground blades. ARS and Metallo work exclusively with the "PULL SAW" method, whereby the saw blade always remains straight and can do its work optimally.

## Scissors

The various ARS and Metallo shears are available in different models: harvesting pruner, grape shears, utility scissors, all purpose shears and household shears. Westparts has the right model for every user. The scissors are suitable for many different applications, so with this balanced line you can always find the right fit.



## Fastening tools

A wide range of Rapid products including staple guns, hand tackers, electric tackers and glue guns for the do-it-yourself-er or the professional.

## Staples & nails

For every staple gun, pliers or job there is a perfect staple or nail. Varying from copper, aluminium or stainless steel, there are various types available. Please consult the product information of your staple gun or pliers for the right type of staple or nail.



## Product icons

<b>A</b> Aluminum	Taper ground
<b>S</b> Stainless steel	Curvature ground
<b>C</b> Carbon steel	Forged model
<b>H</b> Hard chrome plated	Impulse hardened
<b>N</b> Nickel plated	Super Turbocut
<b>F</b> Fluorocarbon	Turbocut
<b>T</b> Teflon coated	Tooth thickness
<b>B</b> Black finished	Tooth setting
<b>SK5</b> SK5 steel	Packaging
<b>HACCP</b> HACCP product	Length (mm)
Type staple/nail	Weight (gram)
Max. cut capacity (mm)	KWF-profi certification
Spare blade	Suitable for hand size
Spare parts available	



**ARS 300L-DX**

110 190 20/200

Harvesting shears 190 mm, stainless steel, straight, red

**ARS 300L-BL**

110 190 20/200

Harvesting shears 190 mm, straight, blue

**ARS 300L**

110 190 20/200

Harvesting shears 190 mm, straight, red

**ARS 300SS-BL**

100 170 20/200

Harvesting shears 170 mm, straight, blue

**ARS 300SS**

100 170 20/200

Harvesting shears 170 mm, straight, red

**ARS 310-D**

90 160 20/200

Harvesting shears 160 mm, extra curved, red

**ARS 310-T**

95 160 20/200

Harvesting shears 160 mm, straight, red

**ARS 310-BL**

90 160 20/200

Harvesting shears 160 mm, curved, blue

**ARS 310DX**

100 170 20/200

Harvesting shears 170 mm, stainless steel, curved, red

**ARS 310**

90 160 20/200

Harvesting shears 160 mm, curved, red

**ARS 320B-M**

55 155 20/200

Harvesting shears 155 mm, curved, white

**ARS 320B-T**

55 155 20/200

Harvesting shears 155 mm, straight, white

**ARS 320DX-M**

55 155 20/200

Harvesting shears 155 mm, curved, orange

**ARS 320DX-T**

55 155 20/200

Harvesting shears 155 mm, stainless steel, orange

**ARS SE-45**

85 183 10/100

Harvesting shears 183 mm, stainless steel, red

**Friedrich Herder F1445**

55 145 12/48

Druivenschaar 145 mm, black

**Metallo K-0035**

98 185 20/100

Harvesting shears 185 mm, orange

**Metallo K-0040**

83 186 20/100

Harvesting shears 186 mm, straight, orange

## Harvesting shears


The fruit and vegetable shears are available in various designs in red, orange or the unique HACCP blue. Whether you need a curved blade, a pointed tip, a stainless steel version or a special grape scissor, it is all there.





# High quality Japanese pruning shears



Professional, lightweight and above all ergonomic pruning shears









Also for left-handed use 



Anvil 

**ARS VA-7Z**  
 VA-7-1/VA-7-2/VA-7-3   **22**

Pruning shears 180 mm, anvil, red

Also for left-handed use 



Anvil 

**ARS VA-8Z**  
 VA-8-1/VA-8-2/VA-8-3   **25**

Pruning shears 205 mm, anvil, red



**ARS 120DX**  **22**

Pruning shears 195 mm, red



**ARS 120EU**   **22**

Pruning shears 210 mm, red




**ARS 120EU-R**   **10**

Rose pruning shears 210 mm, red








**ARS VS-7XZ**   **19**

Pruning shears 180 mm, red



**ARS VS-8XZ**   **22**


Pruning shears 200 mm, red











**ARS VS-9XZ**   **25**


Pruning shears 227 mm, red











**ARS 140DX**   **12**


Pruning shears 184 mm, red










**ARS 140L-DX**   **12**


Pruning shears 200 mm, white











**ARS CB-8**  **22**


Pruning shears 205 mm, red/black






**ARS CB-9**   **25**







     

Pruning shears 225 mm, red/black



Rotating 

**ARS VS-7XR**   **19**

Pruning shears 180 mm, rotating handle, red/black



Rotating 

**ARS VS-8XR**   **22**

Pruning shears 200 mm, rotating handle, red/black



Rotating 

**ARS VS-9XR**   **25**

Pruning shears 227 mm, rotating handle, red/black



**ARS 130DX/G/P/W/Y/V**   **19**

Pruning shears 184 mm, multiple colors



## ARS, very well tested!

The German Forestry Commission (KWF) has tested 28 ARS products and awarded all 28 products the coveted KWF certification.

These are pruners, hand saws and pole saws that have been thoroughly tested in German forestry. In this catalogue you will find all these products accompanied by the certification.


We invite you to use these products in person and convince yourself of the quality of ARS.



**Metallo pruners**



**Metallo K-0050**  
K-0050-1  
225 205 6/48 H C A  
Pruning shears 205 mm, red/grey



**Metallo K-0060**  
K-0060-1  
226 205 6/48 H C A  
Pruning shears 205 mm, straight, red/grey




**Metallo K-0080**  
K-0080-1  
226 197 6/48 H C A  
Pruning shears 197 mm, anvil, red/grey




**Metallo K-0100**  
K-0100-1  
170 180 H C A T  
Pruning shears 180 mm, small model, blue/grey



**Metallo K-0200**  
K-0200-1  
230 200 H C A T  
Pruning shears 200 mm, lever mechanism, blue/grey




**Metallo K-0300**  
K-0300-1  
215 210 6/48 C B  
Pruning shears 210 mm, red



**Metallo K-0310**  
K-0310-1  
235 230 6/48 C B  
Pruning shears 230 mm, red



**Metallo K-0400**  
K-0400-1  
238 200 6/48 H C A  
Pruning shears 200 mm, red



**Metallo K-0500**  
K-0500-1  
238 200 6/48 H C A  
Pruning shears 200 mm, red



**Metallo K-0550**  
K-0550-1  
228 210 6/48 H C A  
Pruning shears 210 mm, red, anvil



**Metallo K-0600**  
K-0600-1  
250 215 6/48 H C A  
Pruning shears 215 mm, ergonomic, red



**Metallo K-0650**  
K-0650-1  
290 215 6/48 H C A  
Pruning shears 215 mm, rotating handle, red



**Metallo K-0700**  
K-0700-1  
250 215 6/48 H C A  
Pruning shears 215 mm, left-handed, red



**Metallo K-0750**  
K-0750-1  
245 215 6/48 C A T  
Rose pruning shears 215 mm, orange



**Metallo K-0900**  
K-0900-1  
270 215 6/48 H C A  
Pruning shears 215 mm, heavy duty, red



**Metallo K-1010**  
K-1010-1  
286 205 6/48 C B  
Pruning shears 205 mm, red




**Metallo K-1015**  
K-1015-1  
354 225 6/48 C B  
Pruning shears 225 mm, red



**Metallo K-1020**  
K-1020-1  
223 190 6/48 C B  
Pruning shears 190 mm, red



**Metallo K-1025**  
K-1025-1  
278 220 6/48 C B  
Pruning shears 220 mm, red



**Metallo K-1050**  
K-1050-1  
237 215 6/48 C H  
Pruning shears 215 mm, gesmeed, red



**METALLO**  
View all Metallo pruning shears on [www.metallotools.com](http://www.metallotools.com)



# The **NEW** GO-1 en GO-5!

Premium Blade Cleaner

New! 500ml bottle

## KEEP YOUR TOOLS CLEAN

**ARS 9F-10**

50 220 20/200

Saw file 220 mm, wood

**Fiskars FISK1023811**

95 227 6

Essential Roll-Sharp, knife sharpener

**Metallo SW0010**

356 150 6/48

Wetsteen 150 mm, fine/medium

**Metallo SW0100**

30 89 6/144

Sharpening egg Aladdin

**Metallo SW0110**

15 124 12/144

Sharpener, handmodel, blue

**Metallo SW0140**

49 150 10/100

Sharpener Sharky allround, blue

**Metallo SW0150**

140 60 12/144

Grinder table model, with suction cup

### Universal holsters

**Metallo 959140**

44 150 6/24

Leather holster, with clip, unifit

**Metallo 959145**

106 235 6/24

Leather holster, with clip, unifit

**ARS SH-VSZ**

109 230 5/50

Leather holster, universal

**Blade Cleaner GO-1**

121 12/72

Premium Blade Cleaner, 100ml

**Blade Cleaner GO-5**

552 6

Premium Blade Cleaner, 500ml

### Discover this premium blade cleaner

In order to optimise the service life of your product, it is important to clean each tool after use and store it in a dry place. We recommend GO for cleaning pruning tools.

When pruning trees, shrubs and plants, juices are released which usually leave a stubborn sticky layer on the blades of saws and shears. GO is a powerful cleaning agent for effectively removing such deposits from your pruning tools.

Cleaning your products makes your work easier and leaves a clean and beautiful wound on the pruned work. Clean pruning tools reduce the chance of cross contamination. Clean your product in 15 sec!



**Löwe L01101**

270 210 12


Pruning shears, 210 mm, anvil



**Löwe L05104**

190 160 5/50

Pruning shears 160 mm, anvil, orange



**Löwe L09104**

230 210 12

Pruning shears, 210 mm, red



**Löwe L01105**

290 200 12


Industrial shears, 200 mm, anvil, orange



**Löwe L03101**

335 210 50

Mitre shears, 210 mm, 45°, anvil



**Löwe L03104**

335 210 12

Mitre shear, 210 mm, 45°, anvil, orange

### Wire cutters


Fully forged and plastic-coated handles. The cutting jaw is extra hardened to allow the cutting of small steel blades. The blades are extra hardened to allow cutting of small steel wires. Indispensable for a florist!



**Metallo 964054**

96 190 6/48


Wire cutters 190 mm, blue



**ARS 316**

105 170 10/100

Wire cutters 170 mm, red



**Metallo 973072**

70 215 6/48


Scissors 215 mm, stainless steel, black/blue



**Metallo 973070**

56 190 6/48

Scissors 190 mm, stainless steel, black/blue



**Metallo 973074**

105 265 6/48

Scissors 265 mm, softgrip, stainless steel, black/blue



**Metallo 973060**

52 180 6/48


Scissors 180 mm, plastic, stainless steel, black



**Metallo 973062**

60 215 6/48

Scissors 215 mm, plastic, stainless steel, black



**Metallo 985135**

150 220 6/48

Fabric shears 220 mm, serrated, black/green



**ARS 330HN-G**

60 160 10/100

Handi-craft scissors 160 mm, green



**ARS 330HN-V**

60 160 10/100


Handi-craft scissors 160 mm, violet



**ARS 330HN-W**

60 160 10/100


Handi-craft scissors 160 mm, white



**ARS 330HN-P**

60 160 10/100

Handi-craft scissors 160 mm, pink



**ARS 330HN-R**

60 160 10/100

Handi-craft scissors 160 mm, red




**ARS 330HN-Y**

60 160 10/100

Handi-craft scissors 160 mm, yellow

### Budget-Line


These simple pruners are very suitable for light pruning work in and around the house. Both shears have hardened carbon blades with a teflon coating.



**Metallo 985040**

122 180 6/48

Pruning shears 180 mm, red, Budget-Line



**Metallo 985060**

203 210 6/48

Pruning shears 210 mm, red, Budget-Line





## Hobby scissors

The hobby scissors are suitable for cutting plastic, wire or other soft to hard material. The scissors are available separately or in sets for the frequent user.



**Metallo 985005** (Set van 2 hobby scissors) 12/96  
**Metallo 985006** (Set van 6 hobby scissors) 4/32  
 60 150 S

Set hobby scissors 150 mm, stainless steel, with lock

**Metallo 985010**  
 64 150 12/24/144 S

Hobby scissors 150 mm, with lock and cover, stainless steel, orange

**Metallo 985020**  
 116 190 6/48 S

Hobby scissors 190 mm, with lock and cord, stainless steel, blue

**Metallo 985021**  
 96 190 6/48 S

Hobby scissors 190 mm, with lock, stainless steel, orange

**ARS 340H-T**  
 70 190 10/100 H C

Handi-craft scissors 190 mm, red

**ARS 350-M**  
 60 158 10/100 H C

Handi-craft scissors 158 mm, black

**ARS 350-T**  
 60 158 10/100 H C

Handi-craft scissors 158 mm, red

**ARS 360-M**  
 30 125 10/100 H C

Handi-craft scissors 125 mm, blue/green

**ARS 370**  
 70 160 6/72 H C

Industrial shears 160 mm, black

**ARS 380**  
 80 195 10/100 H C

Handi-craft scissors 195 mm, red

**ARS 390**  
 62 160 10/100 H C

Scissors heavy duty 160 mm, bruin

**ARS 526-A**  
 526-A-1  
 240 260 5/50 H C

Handi-craft scissors 260 mm, black

**ARS 526-H**  
 260 260 6

Handi-craft scissors 260 mm, SUPER, black

## Florist scissors

These ARS florists scissors are made of hardened stainless steel. Extra strong and ergonomic and equipped with damper.

An absolute must for the real florist!

**ARS FL-18**  
 110 180 10/50 S

Florist scissors 180 mm, stainless steel, red





**Mundial MU490-10**

390 255 12 N C

Tailors scissors 255 mm, black

For left-handed use



**Mundial MU493-10**

136 250 12 N C

Fabric shears 250 mm, black, left




**Mundial MU660-SR-8**

104 220 12 S

Scissors Mundial 220 mm, stainless steel, black

For left-handed use



**Mundial MU661-SR-8.5**

110 220 12 S


Scissors Mundial 220 mm, stainless steel, black, left



**Mundial MU690-SR-9**

124 240 12 S


Scissors Mundial 240 mm, stainless steel, black



**Kretzer RS0030**

38 130 10 S


Scissors Finny 130 mm, stainless steel, blue/black



**Kretzer RS0040**

45 150 10 S


Scissors Finny 150 mm, stainless steel, blue/black



**Kretzer RS0050**

100 200 10 S


Scissors Finny 200 mm, stainless steel, blue/black



**Kretzer RS0060**

240 250 5 S


Scissors Finny 250 mm, stainless steel, blue/black



**Kretzer RS0065**

117 250 10 S

Ribbon Shears Finny 250 mm, black/red



**Kretzer RS0080**

242 250 5 S

Fabric shears Finny 250 mm, stainless steel, red/black



**Mundial MU1864-5.5**


38 130 12 S

Confection/sewing scissors 130 mm, red/black



**Aramid scissors**


These SUPER mini scissors can cut aramid or other very strong textiles. The cutting edge has microscopic serration for very precise cutting because the material cannot slip away. The compact ARS mini shears are very light and easy to use.



**ARS NH-11**

40 110 6 H C

Industrial shears NH-11, red



**Friedrich Herder F1118**

100 170 12 C

Rubber shears 170 mm, curved, red



**Fiskars FISK111040**

83 210 5/100 C

Universal shears, 210 mm

**Grass shears**

Use grass shears to trim the difficult spots on your lawn. You can also use the grass shears to trim the edges of your lawn.



**Metallo K-1850**

1785 630-1040 6 H C T

Lawn edging shears 630-1040 mm, telescopic, green/black



**Metallo K-1660**

370 360 6/24 C T

Lawn edging shears 360 mm, rotating 180 degrees, green/black



**Metallo K-1900**

260 290 6/24 S

Sheep shears 290 mm, stainless steel, wood




**Metallo K-1800**

1785 740-1150 6 H C T

Lawn shears 740-1150 mm, telescopic, green/black



With notch for branches

Corrugated

**Metallo K-3100**

1140 590 6/12 HCT

Hedge trimmer 590 mm, corrugated, with notch for branches, green/black

Telescopic

Corrugated

**Metallo K-3200**

735 650-850 6/12 HCT

Telescopic hedge trimmer 650-850 mm, corrugated, green/black

Professionele Silver-Line

**Metallo K-2700**

K-2700-1 815 580 6/12 HCA

Hedge trimmer 580 mm, grey/black

**Metallo K-2750**

K-2700-1 905 745 6/12 HCA

Hedge trimmer 750 mm, grey/black

**Metallo K-2750L**

K-2700-1 970 800 6/12 HCA

Hedge trimmer 800 mm, grey/black

Classic hedge trimmers

Microtoothing

**Metallo K-3700**

1040 540 6/12 HCB

Hedge trimmer 540 mm, microtoothing, wood

Corrugated

**Metallo K-3600**

1010 540 6/12 HCT

Hedge trimmer 540 mm, corrugated, wood

Classic hedge trimmers

Traditional hedge trimmer with corrugated or microtoothing and a classic wooden handle. With hard-chromed and teflon coated blades, made from high-quality SK5 steel. The shears are equipped with a hard damper to help prevent wrist injuries.

**ARS K-800**

550 500 5/20 CN

Hedge trimmer 500 mm, red

Telescopic

**ARS K-900Z**

980 720-1050 5/20 CN

Telescopic hedge trimmer, 720-1050 mm, red/grey

**ARS KR-1000**

KR-1000-1 780 653 5/20 HC

Hedge trimmer 650 mm, red/grey

**ARS KR-1000L**

KR-1000-1 840 750 5/20 HC

Hedge trimmer 750 mm, red/grey



**ARS LP-40**  
LP-40-1/LP-40-2

50

1720 800 10

C F

Lopper 800 mm, XL, heavy duty, red/grey



With anvil

**ARS LPA-30L**  
LPA-30-1/LPA-30-2

45

1090 806 10

C F

Lopper 806 mm, XL, anvil, red/grey

**Spare parts available**

From rubber bumpers, springs and screws to complete pruning heads, there are plenty of ARS and Metallo parts available to extend the life of your ARS or Metallo lopper. Good for your wallet, good for the environment.



**ARS LPB-20S**  
LPB-20-1/LPB-20-2

30

825 476 10

C F

Lopper 476 mm, S, red/grey



**ARS LPB-20M**  
LPB-20-1/LPB-20-2

32

940 627 10

C F

Lopper 627 mm, M, red/grey



**ARS LPB-20L**  
LPB-20-1/LPB-20-2

34

1055 772 10

C F

Lopper 772 mm, L, red/grey



**Metallo K-4500**  
K-4500-1

50

1338 780 6/12

C T

Lopper 780 mm, lever mechanism, anvil, green/black




**Metallo K-5000**  
K-5000-1

50

1690 660-1000 12

C T

Telescopic lopper 660-1000 mm, lever mechanism, anvil, green



**Metallo K-5100**  
K-5100-1

50

1710 660-1000 12

C T

Telescopic lopper 660-1000 mm, lever mechanism, green

**Gear Power**

These loppers are equipped with a quadruple lever mechanism that considerably eases heavy-duty work. Due to the lever mechanism, these loppers cut in steps up to a diameter of 50 mm.

**Are you looking for a shears with lever mechanism?**

The Metallo K-0200 is a very robust shears with the same lever mechanism. It cuts branches up to 25 mm thick. Make heavy work, light work.



**ARS LPB-30S**  
LPB-30-1/LPB-30-2

34

860 482 10

C F

Lopper 482 mm, S, red/grey



**ARS LPB-30M**  
LPB-30-1/LPB-30-2

36

975 630 10

C F

Lopper 630 mm, M, red/grey



**ARS LPB-30L**  
LPB-30-1/LPB-30-2

38

1090 778 10

C F

Lopper 778 mm, L, red/grey

**Long reach loppers**




**ARS 185-1.5**  
185-1

1550 1500 10

C F

Long reach lopper 1500 mm, red



**ARS 185-1.8**  
185-1

1700 1800 10

C F

Long reach lopper 1800 mm, red




**Metallo K-4100**

30

675 395 6/12

C T

Minitakkenschaar 395 mm, green/black



**Metallo K-5600**

35

1190 700 12

C

Lopper 700 mm, wood




**Metallo K-5950**  
K-5950-1

55

1995 960 6

H C A

Lopper 960 mm, grey/black




**Metallo K-5700**  
K-5700-1

36

800 500 6/12

H C A

Lopper 500 mm, grey/black




**Metallo K-5750**  
K-5700-1

38

950 700 6/12

H C A

Lopper 700 mm, grey/black



**Metallo K-5800**  
K-5800-1

40

830 500 6/12

H C A

Lopper 500 mm, grey/black



**Metallo K-5850**  
K-5800-1

42

990 700 6/12

H C A

Lopper 700 mm, grey/black




**Metallo 968020**

64 180 12/120

Rose stripper Dornlos, red, stainless steel



**Metallo 968021**

64 180 12/72

Rose stripper Dornlos, red, stainless steel



**Metallo 968110**

21 140 24/144

Rose stripper 140 mm, aluminum



**Metallo 968113**

42 140 12/72

Set of 2 rose stripper 140 mm, stainless steel



**Metallo 972013**

62 155 6/48

Rose stripper Dornefix with knife



Pruning saws with wooden handle




**ARS CT-32E-W**

CT-32E-1 125

420 500 5/50 H C

Pruning saw with a saw blade of 320 mm + holster, wood




**ARS PS-25KL**

25KL-1 100

140 415 5/50 H C

Pruning saw with a saw blade of 250 mm, wood




**ARS PS-30KL**

30KL-1 110

165 435 5/50 H C

Pruning saw with a saw blade of 300 mm, wood



**ARS PS-32LL**

32LL-1 135

230 550 5/50 H C

Pruning saw with a saw blade of 345 mm, wood



**ARS UV-32E-W**

UV-32E-1 125

420 500 5/50 H C

Pruning saw with a saw blade of 320 mm + holster, wood



**Metallo K-6110W**

K-6110-1 80

185 400 6/48 H C

Pruning saw with a saw blade of 180 mm, wood



**Metallo K-6130W**

K-6130-1 105

195 456 6/48 H C

Pruning saw with a saw blade of 270 mm, wood



**Metallo K-6150W**

K-6150-1 135

217 538 6/48 H C

Pruning saw with a saw blade of 350 mm, wood



**Metallo K-6160W**

K-6160-1 125

228 515 6/48 H C

Pruning saw with a saw blade of 330 mm, curved, wood



## Pruning saws with plastic handle

Met straight blad

**Metallo K-6110B**  
K-6110-1 70

162 350 6/48 H C N I A 3.8 1.3

Pruning saw with a saw blade of 180 mm, blue/black

**Metallo K-6130B**  
K-6130-1 105

185 430 6/48 H C N I A 3.8 1.4

Pruning saw with a saw blade of 270 mm, blue/black

**Metallo K-6150B**  
K-6150-1 135

216 505 6/48 H C N I A 3.8 1.4

Pruning saw with a saw blade of 350 mm, blue/black

**ARS TL-24**  
TL-24-1 95

190 406 5/50 C N I A 3.8 1.3

Pruning saw with a saw blade of 240 mm + holster, black

**ARS TL-27**  
TL-27-1 105

200 437 5/50 C N I A 3.8 1.3

Pruning saw with a saw blade of 270 mm + holster, black

**ARS TL-30**  
TL-30-1 120

210 465 5/50 C N I A 3.8 1.3

Pruning saw with a saw blade of 300 mm + holster, black

**Metallo K-6110**  
K-6110-1 70

179 400 6/48 H C N I A 3.8 1.3

Pruning saw with a saw blade of 180 mm, red/black

**Metallo K-6130**  
K-6130-1 105

226 530 6/48 H C N I A 3.8 1.4

Pruning saw with a saw blade of 270 mm, red/black

**Metallo K-6150**  
K-6150-1 135

226 530 6/48 H C N I A 3.8 1.4

Pruning saw with a saw blade of 350 mm, red/black

**ARS DUKE-25**  
DUKE-25-1 100

250 420 5/50 C N I A 3.8 1.2

Pruning saw with a saw blade of 250 mm + holster, red

**ARS CAM-18LN**  
18LN-1 70

170 336 5/50 C N I A 3.8 1.2

Pruning saw with a saw blade of 180 mm + holster, red

**ARS CAM-24LN**  
24LN-1 95

240 432 5/50 C N I A 3.8 1.3

Pruning saw with a saw blade of 240 mm + holster, red

**ARS CAM-18PRO**  
18PRO-1 70

250 360 5/50 C N I A 3.8 1.3

Pruning saw PRO with a saw blade of 180 mm + holster, red/black

**ARS CAM-24PRO**  
24PRO-1 95

280 414 5/50 H C N I A 3.8 1.3

Pruning saw PRO with a saw blade of 240 mm + holster, red/black



### What is Super Turbocut?


The Super Turbocut saw blades have an extra notch, a fine tooth setting and are extra sharpened. The notches ensure that the saw waste is discharged more easily. This is especially beneficial when cutting wet or young wood.

### Sawing with ease

The saw blades have extra-hard teeth and are ground in a special way. As a result, sawing takes less effort and the cut is much neater.

### Impulse hardened

The innovative Impulse Hardening method involves heating and cooling the steel within several thousandths of a second using high-frequency current impacts. This allows ARS to achieve hardnesses ranging from 900HV to 950HV on the Vickers scale while maintaining high elasticity. Impulse hardened blades therefore last, under normal conditions, about three times longer.





Pruning saws with plastic handle  
Met curved blad

**ARS CT-37PRO**  
CT-37PRO-1 5/50 145  
580 600 H C I A Z 3.8 1.2

Pruning saw PRO with a saw blade of 370 mm + holster, red/black

**ARS CT-42PRO**  
CT-42PRO-1 5/50 165  
600 600 H C I A Z 3.8 1.2

Pruning saw PRO with a saw blade of 420 mm + holster, red/black



**ARS CTR-32PRO**  
CTR-32PRO-1 5/50 125  
430 480 H C I A Z 3.8 1.2

Pruning saw PRO with a saw blade of 320 mm + holster, red/black

**ARS UV-37PRO**  
UV-37PRO-1 5/50 145  
580 600 H C I A Z 3.8 1.2

Pruning saw PRO with a saw blade of 370 mm + holster, black/red

**ARS UV-42PRO**  
UV-42PRO-1 5/50 165  
600 600 H C I A Z 3.8 1.2

Pruning saw PRO with a saw blade of 420 mm + holster, black/red

**ARS UV-32E**  
UV-32E-1 125  
420 500 5/50 H C I A Z 3.8 1.2

Pruning saw with a saw blade of 320 mm + holster, black/red

**ARS UVR-32PRO**  
UVR-32PRO-1 5/50 125  
450 480 H C I A Z 3.8 1.2

Pruning saw PRO with a saw blade of 320 mm + holster black/red

**Metallo K-6160**  
K-6160-1 125  
230 505 5/50 H C I A Z 3.8 1.2

Pruning saw with a saw blade of 330 mm, curved, red/black

**ARS G-17**  
G-17-1 5/50/100 65  
175 379 H C I A Z 3.8 1.2

Foldable pruning saw with a saw blade of 170 mm, black/red

**ARS GR-17**  
GR-17-1 5/50/100 65  
175 377 H C I A Z 3.8 1.2

Foldable pruning saw with a saw blade of 170 mm, curved, black/red

**ARS GR-18L**  
18R-L 5/50/100 70  
165 410 H C I A Z 3.8 1.2

Foldable pruning saw with a saw blade of 180 mm, curved, red

**ARS G-18L**  
18L-1 5/50/100 70  
160 410 H C I A Z 3.8 1.2

Foldable pruning saw with a saw blade of 180 mm, red

**ARS PM-21**  
PM-21-1 5/50 70  
180 440 H C I A Z 3.8 1.2

Two positions

Foldable pruning saw with a saw blade of 210 mm, black/grey

**ARS PM-24**  
PM-24-1 5/50 80  
215 500 H C I A Z 3.8 1.2

Two positions

Foldable pruning saw with a saw blade of 240 mm, black/grey

**ARS 210DX**  
211 5/50/100 60  
140 350 H C I A Z 3.8 1.2

Foldable pruning saw with a saw blade of 165 mm, red

**ARS IK-10-R**  
35 130 5/50/100 50 N C

Foldable pruning saw with a saw blade of 220 mm, red

**ARS PRO-ST**  
53 10/50

Set of two straps for PRO-serie saws, 580 mm, black

**Metallo K-6025**  
K-6025-1 70  
207 242 6/48 H C I A Z 3.8 1.2

Foldable pruning saw with a saw blade of 180 mm, straight, black/red

**Metallo K-6045**  
K-6045-1 70  
209 242 6/48 H C I A Z 3.8 1.2

Foldable pruning saw with a saw blade of 180 mm, curved, black/red



## The unique ARS long reach pruners

When pruning large shrubs or flowerbeds, it is useful to use a shears on a handle. This allows you to reach high without having to climb, or to cut low without having to bend over.



**ARS 150-0.6** 150-1 10

325 617 2/10 H C

Rose pruning shears 600 mm, red/grey

**ARS 160-0.35** 160-1 10

300 350 2/10 H C

Rose pruning shears 350 mm, red/grey

**ARS 160-0.6** 160-1 10

360 600 2/10 H C

Long reach cut & hold shears 600 mm, red/grey

**ARS 160U-0.7** 160U-1 15

405 700 5/20 H C

Lily pruners 700 mm, red/grey

**ARS 160-1.2** 160-1 8

490 1200 2/10 H C

Long reach cut & hold shears 1200 mm, red/grey

**ARS 180-1.2** 180-1 20

570 1200 2/10 H C

Long reach shears 1200 mm, red/grey

**ARS 180-1.8** 180-1 20

720 1800 2/10 H C

Long reach shears 1800 mm, red/grey

**ARS 180LR-1.2** 180L-1 22

730 1246 2/10 H C

Long reach shears 1246 mm, red/grey

**ARS 180LR-1.8** 180L-1 22

870 1846 2/10 H C

Long reach shears 1846 mm, red/grey

**ARS 160R-1.8** 160ZR-1 10

710 1817 5/20 H C

Long reach cut & hold shears 1817 mm, red/grey

**ARS 180LR-2.1** 180L-1 22

950 2146 2/10 H C

Long reach shears 2146 mm, red/grey

**ARS 160-2.4** 160-1 10

890 2400 2/10 H C

Long reach cut & hold shears 2400 mm, red/grey

**ARS 180R-1.8** 180L-1 22

695 1817 5/20 H C

Long reach shears 1817 mm, red/grey

**ARS 180-2.4** 160-1 20

870 2400 2/10 H C

Long reach shears 2400 mm, red/grey



# Cut & Hold

## ZF Series

- Light weight
- Telescopic
- Very stable
- Ergonomic design
- 180° rotating handle
- Cutting height; up to 5 metres



## Long reach features

ARS long reach shears are made of lightweight aluminium. The blades are hardened chrome-plated and therefore resistant to rust and corrosion. The comfortable handles are ergonomic and therefore reduce the risk of injury.

The 180° rotating handle allows you to determine the right cutting position without putting unnecessary strain on the wrist.

The 160 Series consists of a number of long-arm pruning shears, which are equipped with a cutting head with grip blocks, called "Cut & Hold". This allows you to collect the cut item, such as fruit and flowers, in a controlled way.

The 180-series consists of a number of long-arm shears, which are equipped with a cutting head that is suitable for all cutting work at height.

ROTATING  
180 DEGREES



ADJUSTABLE FROM 1260 TO 2010 MM

**ARS 160ZF-2.0-3** Cut & Hold

160ZR-1

950 1260-2010 2/10

H C

Long reach shears, telescopic, 1300 - 2000 mm, red/grey

ADJUSTABLE FROM 1260 TO 2010 MM

**ARS 180ZF-2.0-3**

180ZR-1

935 1260-2010 2/10

H C

Long reach shears, telescopic, 1300 - 2000 mm, red/grey

ADJUSTABLE FROM 1762 TO 3010 MM

**ARS 160ZF-3.0-5** Cut & Hold

160ZR-1

1200 1762-3010 2/10

H C

Long reach shears, telescopic, 1800 - 3000 mm, red/grey

ADJUSTABLE FROM 1762 TO 3010 MM

**ARS 180ZF-3.0-5**

180ZR-1

1185 1762-3010 2/10

H C

Long reach shears, telescopic, 1800 - 3000 mm, red/grey



# ARS



## Cut Above the Rest

### Compose the right telescopic saw

With an extensive range of 32 cm saw blades, ARS offers the possibility of creating the best combination for your job in using the JG-2 and an EXP pole.



**ARS JG-2**

178 140

5/20

**ARS SH-32-EXP**

200

10



**ARS UV-32E-1**

390 320

10/100 125

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

**ARS CTR-32PRO-1**

390 320

10/100 125

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡



**ARS UVR-32PRO-1**

390 320

10/100 125

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡



**ARS CT-32E-1**

390 320

10/100 125

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

### Telescopic pole saws



ADJUSTABLE FROM 1200 TO 1800 MM

**ARS EXW-1.8**

EXW-1

100

750 1200-1800 5/20

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

Telescopic polesaw EXW-1.8 with a saw blade of 300 mm, 1200 - 1800 mm, red/grey



ADJUSTABLE FROM 1800 TO 2700 MM

**ARS EXW-2.7**

EXW-1

100

1030 1800-2700 5/20

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

Telescopic polesaw EXW-2.7 with a saw blade of 300 mm, 1800 - 2700 mm, red/grey

### Pruning saws for poles



**ARS UV-34**


UV-34-1

135

390 560 5/20

N ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

Pruning saw with a saw blade of 340 mm, for ARS EXP poles, red



**ARS UV-40**

UV-40-1

160

520 630 5/20

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

Pruning saw with a saw blade of 400 mm, for ARS EXP poles, red + holster



**ARS UV-47**

UV-47-1

185

500 670 5/20

N ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

Pruning saw with a saw blade of 470 mm, for ARS EXP poles, red + holster



**ARS UV-34-JG-3**

UV-34-1

135

390 560 5/20

N ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

Pruning saw with a saw blade of 560 mm, for round poles, red



**Metallo K-6710**

K-6710-1

160

420 620 6/24

H C ⚡ ⚡ ⚡ ⚡ ⚡ ⚡

Pruning saw with a saw blade of 400 mm, for Metallo K-6670/80/90, black



**Metallo K-6670**

1215 1700-3000 6/12



Telescopic pole 1700 - 3000 mm, 2-piece, black/grey

**Metallo K-6680**

2075 1850-4800 6/12



Telescopic pole 1850 - 4800 mm, 3-piece, black/grey

**Metallo K-6690**

2520 2350-6100 6/12



Telescopic pole 2350 - 6100 mm, 3-piece, black/grey



**ARS EXP-3.3**

1530 1405-3288 5/10



Telescopic pole EXP 1405 - 3288 mm, red/grey

**ARS EXP-4.5**

1720 1838-4560 5/10





Telescopic pole EXP 1838 - 4560 mm, red/grey

**ARS EXP-5.5**

2100 2175-5605 5/10



Telescopic pole EXP 2175 - 5605 mm, red/grey






**ARS JGH-90**

182 156 5/50

Hook for all EXP poles

**EXP hook**

JGH-90 provides better support for pulling cut branches from trees and hanging the saw from a branch while climbing or changing positions.




**ARS JG-1**

178 140 10/100


Handle for UV-40 & UV-47, voor EXP poles, red



**ARS JG-2**

178 140 10/100

Handle for UV-34, UV-32E-1, CT-32E-1, UVR-32PRO-1, CTR-32PRO-1, red



**ARS JG-3**

178 140 10/100

Handle universal, red



**ARS JG-4**

178 140 10/100

Handle universal, red




**ARS SH-32-EXP**

390 560 10

Holster for UV-32E-1, CT-32E-1, UVR-32PRO-1, CTR-32PRO-1



**Pruning elements**



**Metallo K-6770-A**

K-6770-1

1254 500 6/48

50

Pruning element for ARS EXP-3.3/4.5/5.5, red/black



**Metallo K-6770**

K-6770-1

1219 480 6/48

50

Pruning element for Metallo K-6670/80/90, black

**Hack saws**



**Metallo K-6210**

K-6210-1

510 460 10

135

Hack saw with a saw blade of 380 mm (15"), black/grey



**Metallo K-6230**

K-6230-1

640 620 10

170

Hack saw with a saw blade of 530 mm (21"), black/grey



**Metallo K-6250**

K-6250-1

820 850 10

230

Hack saw with a saw blade of 670 mm (30"), black/grey





**Metallo K-6410W**

810 360 24

Axe 360 mm, head weight 600g, wood



**Metallo K-6430W**

1888 700 12

Axe 700 mm, head weight 1.250g, wood



**Metallo K-6450W**

2279 800 12

Axe 800 mm, head weight 1.600g, wood



**Metallo K-6410**

916 630 24

Axe 360 mm, head weight 600g, fibre glass, black/yellow



**Metallo K-6430**

2078 700 12

Axe 700 mm, head weight 1.250g, fibre glass, black/yellow



**Metallo K-6450**

2503 800 12

Axe 800 mm, head weight 1.600g, fibre glass, black/yellow



**Metallo K-6480**

4604 900 6

Splitting axe 900 mm, head weight 3.000g, fibre glass, black/yellow

**Geprüfte Sicherheit**

The German certification "GS Geprüfte Sicherheit" (Tested Security) is awarded after inspection of production processes and products. These are repeated at regular intervals, so that the certification continues to maintain its safety value. It is also checked that no harmful substances have been used.

**Fibre glass handles**


The yellow/black series is equipped with a fibre glass handle. A major advantage of this is its light weight and the ease of keeping the handle clean. It does not absorb any grease or water.

**Made of ash wood**

The wooden series has a waxed ash wood handle. The wax ensures that the wood can breathe and does not absorb water and dirt, which results in a longer life. Moreover, waxing is better for the environment than the lacquered versions.



**SURPRISE YOUR RELATIONS,  
FRIENDS OR FAMILY**



**Metallo K-0900-S**

315 6/24


The extra advantageous K-0900-S pruning set is composed of two top items in the assortment. The K-0900 is a popular shears, with a total length of 215 mm and a cutting thickness of 25 mm. The shears are equipped with an ergonomic handle and a damper to spare your wrist. The 958115 is a pocket knife with a stainless steel blade of 82 mm and a total length of 185 mm.



**ARS ARS-10-S**

325 6/24

A beautiful set with a folding pruning saw for professional use and a professional lightweight and ergonomic shears. The GR-17 is a saw with a tapered, slightly curved blade and is equipped with a unique patented 170 mm blade. The VS-8Z shears are equipped with a unique safety lock for added security. The blade is made from hardened chrome-plated steel.



# Long lifespan.

## Wide range of parts

Sometimes it is not necessary to replace an entire product.

With a view to durability, several parts are available.

This differs per product. For example, handles, springs, bumpers or even complete pruning heads or saw blades are available.



### Long lifespan

Thanks to special techniques, our knives, scissors and saws have a long life. This is due special hardening techniques and by sharpening the grinding of the blades and knives to a high quality.

### Parts

Thanks to a wide range of spare parts, there is no need to throw away a product if, for example, a blade has broken off or a spring has been lost. For example, a blade has broken off or a spring has been lost. This is easy to replace yourself.

### Maintenance

In order to be able to work with a pruning saw or shears for as long as possible, it is important to store them in a dry and clean place. An ideal cleaning product is our GO-1 and GO-5 (page 12).


### Recyclable

Our products are recyclable, so do what is right and bring your old products to a collection point. The steel and aluminium can be reused.

### Parts drawings

For most of the products, spare parts drawings are available. These spare parts drawings contain clear information for those who want to replace a part due to a defect or multiple use. This can be a screw, a spring or even a complete saw or pruning blade.

All available parts are described and numbered. The parts drawings can be downloaded from our website.



## A selection from the parts assortment

View all parts at [westparts.com](http://westparts.com)



**ARS SP-61**

1 C

Spring for shears ARS VS, VA en 130/140 series



**Metallo K-0100-1**

100 H A C T

Upper blade for shears Metallo K-0100



**Metallo K-6710-1**

300 400 H C ⚡ 4.0 1.8

Saw blade for telescopic saw Metallo K-6710



**ARS 211**

41 165 H C A 4.0 1.2

Saw blade for folding saw ARS 210DX



**ARS SP-439**

3

Bumper for KR-1000



**Rapid R120428**

20

Driver with spring for Rapid K1

# Brilliant ergonomic strip steel knives

Lightweight, HACCP compliant with razor-sharp blade from Solingen, Germany



**4x**  
Sharpened

**100%**  
Circular

**HACCP**

**Ergonomic**

**Light weight**

**Stainless steel**

**Metallo 956017-L** (50 pieces)  
**Metallo 956017-D** (500 pieces)

17 160 S

Strip steel knives in box, HACCP, with a blade of 65 mm, green

**Metallo 956011-L** (50 pieces)  
**Metallo 956011-D** (500 pieces)

17 160 S

Strip steel knives in box, HACCP, with a blade of 65 mm, red

**Metallo 956016-X** (10 pieces)  
**Metallo 956016-L** (50 pieces)  
**Metallo 956016-D** (500 pieces)

17 160 S

Strip steel knives, HACCP, with a blade of 65 mm, blue

**Metallo 956020-L** (50 pieces)  
**Metallo 956020-D** (500 pieces)

17 160 S

Strip steel knives in box, HACCP, with a blade of 65 mm, light blue

- Razor sharp
- Double-sided sharpening
- Plastic handle
- Light weight
- Affordable

**Metallo 956019-X** (10 pieces)  
**Metallo 956019-L** (50 pieces)  
**Metallo 956019-D** (500 pieces)

17 160 S

Strip steel knives, HACCP, with a blade of 65 mm, orange

**Metallo 956008-L** (50 pieces)  
**Metallo 956008-D** (500 pieces)

17 140 S

Strip steel knives in box, HACCP, with a blade of 45 mm, round, green

**Metallo 956010-L** (50 pieces)  
**Metallo 956010-D** (500 pieces)

16 140 S

Strip steel knives in box, HACCP, with a blade of 45 mm, round, yellow

**Metallo 956012-L** (50 pieces)  
**Metallo 956012-D** (500 pieces)

16 140 S

Strip steel knives in box, HACCP, with a blade of 45 mm, round, blue



**Metallo 956040-X** (10 pieces)

17 160 S

10 strip steel knives in blister, HACCP, with a blade of 65 mm, multi-colour

**Metallo 956050**

58 315 S

Bread knife with a blade of 200 mm, HACCP, blue, eco

**Metallo 956013-L** (50 pieces)  
**Metallo 956013-D** (500 pieces)

16 140 S

Strip steel knives in box, HACCP, with a blade of 45 mm, round, red

**Metallo 956031-D** (500 pieces)

11 135 S

500 strip steel knives in box, HACCP, with a blade of 45 mm, round, red

**Metallo 956009-L** (50 pieces)  
**Metallo 956009-D** (500 pieces)

17 160 S

Strip steel knives in box, HACCP, with a blade of 65 mm, yellow

**Metallo 956014-L** (50 pieces)

16 155 S

50 strip steel knives in box, HACCP, met lemvet van 65 mm, thin, blue

**Metallo 956015-L** (50 pieces)  
**Metallo 956015-D** (500 pieces)

11 155 S

Strip steel knives in box, HACCP, with a blade of 65 mm, thin, red




**METALLO K-7000**


19 135 20/40/240 C

Knife HACCP with a blade of 40 mm, rounded tip, blue


Verkrijgbaar in multiple colors



**Metallo K-7001** Knife HACCP black, 40 mm, rounded



**Metallo K-7002** Knife HACCP yellow, 40 mm, rounded tip



**Metallo K-7003** Knife HACCP red, 40 mm, rounded tip



**Metallo K-7010**

18 140 20/40/240 C

Knife HACCP with a blade of 40 mm, blue



**Metallo K-7020**

19 150 20/240 C

Knife HACCP with a blade of 60 mm, rounded tip, blue



**Metallo K-7060**

21 145 20/240 S

Knife HACCP with a blade of 40 mm, stainless steel, rounded tip, blue



**Metallo K-7070**

22 170 20/240 S

Knife HACCP with a blade of 60 mm, stainless steel, curved, blue



**Metallo K-7080**

25 185 20/240 S

Knife HACCP with a blade of 80 mm, stainless steel, blue



**Metallo K-7030**

18 140 20/240 C

Knife HACCP with a blade of 40 mm, blue



**Metallo K-7071**

20 170 20/240 C

Knife HACCP with a blade of 60 mm, C50 steel, curved, blue



**Metallo K-7110**

95 220 6/60 S

Knife HACCP with a blade of 90 mm, stainless steel, blue



**Metallo K-7120**

105 260 6/60 S

Knife HACCP with a blade of 130 mm, stainless steel, blue



**Metallo K-7122**

69 260 6/60 C

Knife HACCP with a blade of 130 mm, C60 steel, blue



**Metallo K-7130**

136 295 6/60 S

Knife HACCP with a blade of 155 mm, stainless steel, blue




**Metallo K-7140**

144 320 6/60 S

Knife HACCP with a blade of 180 mm, stainless steel, blue



**Metallo K-7141**

130 320 6/60 S

Knife HACCP with a blade of 180 mm, stainless steel, serrated, blue



**Metallo K-7142**

126 320 6/60 C

Knife HACCP with a blade of 180 mm, C60 steel, blue





**Metallo K-7144**

124 320 6/60 C

Knife HACCP with a blade of 180 mm, C60 steel, serrated, blue

**Metallo K-7150**

178 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, blue

**Metallo K-7151**

165 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, serrated, blue

**Metallo K-7341**

129 320 6/60 S

Knife HACCP with a blade of 180 mm, stainless steel, serrated, red

**Metallo K-7351**

165 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, serrated, red

**Metallo K-7441**

127 320 6/60 S

Knife HACCP with a blade of 180 mm, stainless steel, serrated, yellow

**Metallo K-7451**

163 340 6/60 S

Knife HACCP with a blade of 210 mm, stainless steel, serrated, yellow

**Victorinox VIC50401**

18 180 20 S

Knife with a blade of 80 mm, stainless steel, red

**Victorinox VIC50433**

18 180 20 S

Knife with a blade of 80 mm, stainless steel, serrated, black

**Victorinox VIC50833**

26 216 20 S

Knife with a blade of 110 mm, stainless steel, serrated, black

**Victorinox VIC5163318**

75 280 6 S

Bread knife with a blade of 180 mm, stainless steel, serrated, black

**Victorinox VIC5163321**

81 310 6 S

Bread knife with a blade of 210 mm, stainless steel, serrated, black



Martor foil cutters



**Martor MT0010**

52 158 10 S

Secumax 320, foil cutter, black

**Martor MT0020**

7 76 10 S

Foil cutter Polycut, blue

**martor**

The MARTOR safety knives can be used specifically as foil cutters or openers for various packages because of the properties of their shape and ease of use.

**Martor MT0005**

52 158 10 S

Foil cutter Folex, standard, yellow



**Metallo 930665**

41 185 12/244 C

Knife with a blade of 75 mm, C60 steel, wood



**Metallo 960005**

35 185 12/244 C

Knife with a blade of 85 mm, C60 steel, wood



**Metallo 960006**

33 180 12/244 S

Knife with a blade of 85 mm, stainless steel, wood



**Metallo 960050**

17 170 20/240 S

Knife with a blade of 140,6 mm, 75 mm, stainless steel, curved, wood



**Metallo 960070**

17 185 20/240 C

Knife with a blade of 105 mm, wood



**Metallo 960076**

17 155 20/240 S

Knife with a blade of 60 mm, stainless steel, type 107, wood



**Metallo 960010**

31 180 12/244 C

Knife with a blade of 45 mm, C60 steel, wood



**Metallo 960015**

20 165 20/240 C

Knife with a blade of 60 mm, C60 steel, wood



**Metallo 960020**

18 145 20/240 C

Knife with a blade of 40 mm, C60 steel, wood



**Metallo 960078**

18 165 20/240 S

Knife with a blade of 80 mm, type 107, stainless steel, wood



**Metallo 960080**

52 155 20/240 S

Knife with a blade of 65 mm, stainless steel, wood



**Metallo 960170**

113 330 6/60 C

Knife with a blade of 180 mm, wood, black



**Metallo 960025**

22 185 20/240 C

Knife with a blade of 90 mm, C60 steel, wood



**Metallo 960030**

29 170 12/244 C

Knife with a blade of 65 mm, C60 steel, wood



**Metallo 960035**

15 140 20/240 C

Knife with a blade of 40 mm, C60 steel, wood



**Metallo 960110**

62 200 6/60 C

Knife with a blade of 90 mm, C60 steel, wood



**Metallo 960115**

63 215 6/60 C

Knife with a blade of 100 mm, C60 steel, wood



**Metallo 960115E**

60 215 6/60 C

Thin blade (1.5 mm)


Knife with a blade of 100 mm, C60 steel, wood



**Metallo 960040**

18 140 20/240 C

Knife with a blade of 40 mm, C60 steel, rounded tip, wood



**Metallo 960043**

19 170 20/240 C

Knife with a blade of 75 mm, C60 steel, serrated, wood



**Metallo 960045**

19 170 20/240 S

Knife with a blade of 75 mm, stainless steel, serrated, wood



**Metallo 960120**

75 245 6/60 C

Knife with a blade of 130 mm, C60 steel, wood



**Metallo 960120E**

51 245 6/60 C

Thin blade (1.5 mm)


Knife with a blade of 130 mm, C60 steel, wood



**Metallo 960122**

68 240 6/60 S

Knife with a blade of 130 mm, stainless steel, wood



**Metallo 960125**

100 220 6/60 C

Knife with a blade of 150 mm, C60 steel, wood




**Metallo 960125E**

97 220 6/60 C

Knife with a blade of 150 mm, C60 steel, wood




Check all Metallo knives on  
[www.metallotools.com](http://www.metallotools.com)



**Friedrich Herder F0317D**

55 190 6/48 SK5


Knife with a blade of 90 mm, SK5 steel, wood



**Friedrich Herder F0317H**

71 220 6/48 SK5

Knife with a blade of 105 mm, SK5 steel, wood



**Friedrich Herder F0317L**

59 250 6/48 SK5

Knife with a blade of 130 mm, SK5 steel, wood



**Metallo 960126**

96 220 6/48 C

Knife with a blade of 150 mm, C60 steel, serrated, wood



**Metallo 960130**

108 295 6/60 C


Knife with a blade of 180 mm, C60 steel, wood



**Metallo 960131**

116 310 6/60 C


Knife with a blade of 180 mm, C60 steel, serrated, wood



**Friedrich Herder F0317P**

95 270 6/48 SK5


Knife with a blade of 155 mm, SK5 steel, wood



**Friedrich Herder F0317R**

83 270 6/48 SK5

Knife with a blade of 155 mm, SK5 steel, serrated, wood



**Friedrich Herder F0317T**

95 295 6/48 SK5


Knife with a blade of 180 mm, SK5 steel, wood



**Metallo 960135**

110 320 6/60 C

Knife with a blade of 200 mm, C60 steel, wood



**Metallo 960136**

113 300 6/60 C

Knife with a blade of 200 mm, C60 steel, serrated, wood



**Metallo 960137**

115 300 6/60 S


Knife with a blade of 200 mm, stainless steel, serrated, wood



**Friedrich Herder F0317V**

95 295 6/48 SK5


Knife with a blade of 180 mm, SK5 steel, serrated, wood



**Friedrich Herder F0317X**

127 320 6/48 SK5

Knife with a blade of 210 mm, SK5 steel, wood



**Friedrich Herder F0317Y**

137 320 6/48 SK5

Knife with a blade of 210 mm, SK5 steel, serrated, wood



**Metallo 960140**

126 340 6/60 C

Knife with a blade of 230 mm, C60 steel, wood



**Metallo 960180**

115 315 6/60 C

Knife with a blade of 180 mm, curved lemnet, C60 steel, wood



**Metallo 960185**

147 340 6/60 C


Knife with a blade of 200 mm, curved lemnet, C60 steel, wood



**Friedrich Herder F4893**

44 195 12/48 SK5

Knife with a blade of 85 mm, licht curved, SK5 steel, wood




**Friedrich Herder F4978**

20 180 12/48 SK5

Knife with a blade of 80 mm, SK5 steel, wood



Check all Friedrich Herder knives on  
[www.friedrichherder.com](http://www.friedrichherder.com)



**Bergo Tools BC058ROL-5**

86 250 5 S

Knife with a blade of 130 mm, Rol-5, stainless steel,



**Loewen LW604R**

38 175 12 S

Knife 604R with a blade of 60 mm, stainless steel, wood

**Keep your knives & blades sharp**



Remains sharp by using a grinding stone or a grinding egg. **More on page 13.**



**Metallo 970010**

62 165 6/48 S


Pocket knife with a blade of 80 mm, stainless steel, wood



**Metallo 970011**

69 165 6/48 C

Pocket knife with a blade of 80 mm, plastic, black steel, wood




**Metallo 970020**

53 170 6/48 C

Pocket knife with a blade of 80 mm, C60 steel, wood




Pocket knives



**Metallo 958110**

54 165 6/24/144 S

Pocket knife with a blade of 75 mm, stainless steel, wood



**Metallo 958115**

71 185 6/24/144 S


Pocket knife with a blade of 80 mm, stainless steel, wood



**Metallo 958120**

88 210 6/24/144 S


Pocket knife with a blade of 95 mm, stainless steel, wood



**Metallo 970035**

82 180 6/48 S

Pocket knife with a blade of 90 mm, stainless steel, anchor, wood



**Metallo 970060**

67 185 6/48 C


Grafting knife with a blade of 95 mm, wood



**Metallo 970064**

50 170 6/48 C


Grafting knife with a blade of 80 mm, black



**Metallo 970100**

82 200 6/48 C


Pocket knife with a blade of 100 mm, with notches, wood

**Metallo 958150**

44 92 6/24 S


Pocket knife with a blade of 75 mm, stainless steel, plastic, black



**Metallo 958155**

74 108 6/24 S


Pocket knife with a blade of 85 mm, stainless steel, plastic, black



**Metallo 958151**

47 92 6/24 S


Pocket knife with a blade of 75 mm, stainless steel, plastic, blue



**Metallo 958156**

18 108 6/24 S


Pocket knife with a blade of 85 mm, stainless steel, plastic, blue



**Friedrich Herder F0062**

83 118 6/24 C


Pocket knife with a blade of 95 mm, wood



**Friedrich Herder F0063**

65 106 6/24 C


Pocket knife with a blade of 85 mm, wood



**Friedrich Herder F0064**

50 100 6/24 C

Pocket knife with a blade of 70 mm, wood




**Victorinox VIC39050**

36 100 10 C

Pocket knife with a blade of 70 mm, red



Oculate & copulate



**Metallo 970066**

63 170 6/48 C

Grafting knife with a blade of 75 mm, plastic, black



Left-handed

**Metallo 970067**

59 170 6/48 C


Grafting knife with a blade of 75 mm, left-handed, plastic, black



**Metallo 970099**

45 170 12/48 S

Grafting knife with a blade of 80 mm, black, stainless steel



**Metallo 970080**

45 170 6/48 C


Grafting knife with a blade of 70 mm, plastic, red



**Metallo 970085**

54 175 6/24 C


Grafting knife with a blade of 70 mm, plastic, red



**Metallo 970095**

34 125 6/48 C

Carnation knife with a blade of 60 mm, plastic, red



**Metallo 970098**

55 165 6/48 C

Grafting knife with a blade of 70 mm, plastic, red

Disinfection knives & leaf cutters



This specially developed line is intended to follow the strict guidelines set for the harvesting of various crops. For example, there is the Germo-Knife where liquid in the handle moisturises the blade to help prevent help to prevent cross-contamination. The Leaf-Cutter, which removes excess leaves from tomato plants, for example, without damaging the fruit.



**Metallo K-8000**

47 188 6/48

Germo-Knife, rounded tip, blue



**Metallo K-8010**

46 193 6/48

Germo-Knife, pointed tip, blue



**Metallo K-8060 (incl. 50 knives)**  
**Metallo K-8060BULK**

120 162 6/48


Leaf cutter aluminum



**Metallo K-8065 (incl. 50 knives)**  
**Metallo K-8065BULK**

41 162 6/48

Leaf cutter PE, blue



Blade width 9 mm

**Metallo 955020**  
Metallo 955021 | 10 reservemessen

15 130 60

Snap-off knife 120 mm, yellow/black

Blade width 18 mm

**Metallo 955010**  
Metallo 955011 | 10 reservemessen

37 150 12/144

Snap-off knife 150 mm, yellow/black

**Martor MT0050**

73 143 10

Safety knife with rounded tip, cutting depth 17 mm

Tomato knives

**Zwilling 930515**

20 165 20/240

Knife with a blade of 55 mm curved, stainless steel, red

**Zwilling 930520**

21 170 20/240

Knife with a blade of 65 mm, 38041-070, stainless steel, red

**Metallo 930525**

20 165 20/240

Knife with a blade of 60 mm, curved, stainless steel, red

**Metallo 930530**

21 170 20/240

Knife with a blade of 80 mm, stainless steel, red

**Metallo 960090**

22 195 12/48

Knife with a blade of 105 mm, stainless steel, orange

**Friedrich Herder F8332**

25 160 12

Knife with a blade of 60 mm, curved, black, stainless steel

**Metallo 960055**

107 270 12

Filleting knife with a blade of 180 mm, stainless steel, star 2.5 mm, blue

**Metallo 960057**

107 270 12

Filleting knife with a blade of 180 mm, stainless steel, flex 2.2 mm, blue

Flexible

**Friedrich Herder F8665E**

80 305 12

Filleting knife with a blade of 180 mm, stainless steel, flex, green

Medium

**Friedrich Herder F8665G**

89 305 12

Filleting knife with a blade of 180 mm, stainless steel, medium, green

Rigid

**Friedrich Herder F8665J**

105 305 12

Filleting knife with a blade of 180 mm, stainless steel, rigid, green

**Friedrich Herder F8665O**

106 330 12

Filleting knife with a blade of 210 mm, stainless steel, green

Rigid

**Bergo Tools BC223P-7**

104 315 12

Filleting knife with a blade of 180 mm, stainless steel, rigid, plastic, black

Rigid

**Bergo Tools BC223P-8.5**

120 345 12


Filleting knife with a blade of 205 mm, stainless steel, rigid, plastic, black

Flexible

**Bergo Tools BC223PF-7FLEX**

104 315 12

Filleting knife with a blade of 180 mm, stainless steel, flex, plastic, black






**Friedrich Herder F8611**

249 450 6

Fish knife with a blade of 300 mm, serrated, stainless steel, green



**Friedrich Herder F8612**

145 350 12


Fish knife with a blade of 210 mm, serrated, stainless steel, green



**Friedrich Herder F8649E**

92 315 6


Filleting knife with a blade of 180 mm, stainless steel, green



**Friedrich Herder F8660**

31 170 12


Gutting knife with a blade of 65 mm, stainless steel, green



**Friedrich Herder F8661**

29 155 12

Gutting knife with a blade of 45 mm, stainless steel, green



**Friedrich Herder F8663**

46 170 12


Gutting knife with a blade of 70 mm, stainless steel, green



**Friedrich Herder F8649J**

150 345 6

Filleting knife with a blade of 210 mm, stainless steel



**Friedrich Herder F8662**

44 165 12

Eel knife with a blade of 55 mm, stainless steel, curved, green



**Friedrich Herder F8675J**

156 310 12


Filleting knife with a blade of 180 mm, stainless steel, curved, green



**Loewen LW825**

37 160 12/120


Gutting knife with a blade of 60 mm, stainless steel, green, plastic



**Friedrich Herder F0357**

32 175 12/144


Gutting knife with a blade of 65 mm, SK5 steel, wood



**Friedrich Herder F4923**

34 190 12/144


Gutting knife with a blade of 45 mm, SK5 steel, wood



**Friedrich Herder F8667**

107 435 6


Tranche knife with a blade of 315 mm, stainless steel, green



**Friedrich Herder F8668**

37 215 12


Fish knife with a blade of 110 mm, stainless steel, green



**Friedrich Herder F8672J**

189 350 12

Filleting knife with a blade of 210 mm, stainless steel, flex, green



**Friedrich Herder F8690**

39 165 12

Gutting knife with a blade of 65 mm, stainless steel, green

Fin scissors & herringbone pliers

The perfect tools for easy fish processing



**Giesser G9505K**

227 270 10

Fish fin scissors, 270 mm, black



**Giesser G9515**

100 170 10

Herringbone pliers 170 mm, stainless steel




**Metallo 960095**

28 145 20/240

Gutting knife with a blade of 45 mm, blue, stainless steel






**Friedrich Herder F8677E**

187 345 12 S


Chef knife with a blade of 210 mm, stainless steel, green



**Friedrich Herder F8677J**

222 390 12 S


Chef knife with a blade of 260 mm, stainless steel, green



**Friedrich Herder F8647E**

251 420 12 S


Butcher knife with a blade of 210 mm, stainless steel, green



**Friedrich Herder F8685E**

88 260 12 S


Butcher knife with a blade of 130 mm, stainless steel, green



**Friedrich Herder F8664O**

104 280 12 S


Knife with a blade of 155 mm, stainless steel, green



**Friedrich Herder F8647O**

258 445 12 S


Butcher knife with a blade of 315 mm, stainless steel, green

**Friedrich Herder F8664J**

91 265 12 S


Knife with a blade of 130 mm, stainless steel, green



**Friedrich Herder F8664E**

69 220 12 S

Knife with a blade of 90 mm, stainless steel, green




**Friedrich Herder F8654E**

159 340 12 S

Knife with a blade of 155 mm, stainless steel, green

View all Friedrich Herder knives on [www.friedrichherder.com](http://www.friedrichherder.com)



**Friedrich Herder F8685J**

87 290 12 S

Butcher knife with a blade of 155 mm, stainless steel, green



**Friedrich Herder F8688E**

196 345 12 S

Butcher knife with a blade of 210 mm, stainless steel, green

Special knives

Hollowing knives




**Metallo 965010**

24 105 10/100 A

Peeler Rex 105 mm, aluminum



**Martor 966160**

34 10/100 S

Stainless steel Detectable with metal detector

Secumax ring knife MDP 20 mm, stainless steel, open, blue



**Metallo 960085**

30 140 6/60 C

Hollowing knife with a blade of 40 mm, wood



**Metallo 960086**

30 140 6/60 C

For left-handed use

Hollowing knife with a blade of 40 mm, left-handed, wood





### Spinach knives

These knives are often used for harvesting spinach. The shape gives you the right cutting angle. The knives have a robust and ergonomic handle. And are available with both plastic and wooden handles.

**Metallo K-7231**

179 310 6/24

Spinach knife HACCP with a blade of 150 mm, C60 steel, serrated, blue

**Metallo K-7230**

175 310 6/24

Spinach knife HACCP with a blade of 150 mm, C60 steel, blue

**Metallo 963010**

152 310 6/48

Stainless steel

Spinach knife with a blade of 150 mm, stainless steel, wood

**Metallo 963011**

156 310 6/48

Stainless steel

Spinach knife with a blade of 150 mm, stainless steel, serrated, wood

**Friedrich Herder F1123**

149 325 12

Sharpening steel 210 mm, stainless steel

**Friedrich Herder F1133E**

309 390 6

Sharpening steel 260 mm, stainless steel

**Friedrich Herder F1133J**

347 430 6

Sharpening steel 310 mm, stainless steel

**Maser MA156830** (33 cm)  
**Maser MA156860** (60 cm)

Magnet strip, black



Keep your knives sharp




**Rapid R10510601** Staple gun K1 24/6-8, box

**Rapid R10510628** Staple gun K1 24/6-8, blister

360 40

24  
6-8 mm



**Rapid R10540310**

522 10

73  
6-12 mm

Staple gun HD31 73/6-12



**Rapid R10542901**

360 40

41

Staple gun K41, waved-classic, box

### Robust and durable staple guns

Rapid offers a wide range of robust and durable sutured pliers, tailored to the needs of professionals and do-it-yourselfers. The smart design and unique features are the result of our tradition of innovation and taking the time to understand the needs of our users.



**Rapid R5000890**

230 6

SP 19  
6 mm

Staple gun Maxi SP, incl. 200 staples



**Rapid R21310400**

200 50

10  
4 mm

E10 Staple gun Plastic/Metal



**Rapid R24142811**

190 6

24  
6 mm

S27 staple gun, black/grey



**Rapid R20510450**

550 5

13  
4-8 mm

Staple gun R23, metal, blister



**Rapid R20510650**

Adjustable impact force

890 5

13  
6-14 mm

Staple gun R33, metal, blister



**Rapid R20511050**

550 5

53  
4-8 mm

Staple gun R153, metal



**Rapid R20511250**

Adjustable impact force

890 5

53  
6-14 mm

Staple gun R353, metal, ergonomic, blister



**Rapid R20511450**

560 5

140  
6-8 mm

Staple gun R14, metal, blister



**Rapid R20511550**

Adjustable impact force

890 5

140  
6-14 mm

Staple gun R34, metal, blister



**Rapid R20009450**

Adjustable impact force

400 5

53  
6-14 mm

Staple gun 253, T&F blister, blue/black



**Rapid R20009550**

Adjustable impact force

400 5

T 8 53  
15 mm 6-14 mm

R453 Staple gun, blue/black



**Rapid R20011550**

Adjustable impact force

380 5

T 8 13  
15 mm 6-14 mm

Staple gun R83 (ABS), blue/black, blister



**Rapid R20443950** (in blister)

**Rapid R20443901** (in box)

310 5/6

13  
4-10 mm

Staple gun R13 (ABS), yellow



**Rapid R20443850**

300 5

53  
4-10 mm

Staple gun R53 (ABS), red, blister



**Rapid R11520110**

600 16

53  
6-14 mm

Staple gun Compacta metal, incl. staples



Adjustable impact force

**Rapid R21000860**

15 mm 6-14 mm

390 10

Staple gun R64, blue



**Rapid R22876000**

15 mm 6-14 mm

720 5

PRO ALU840 Staple gun, blue



Adjustable impact force

**Rapid R22876001**

15 mm 6-14 mm

710 10

PRO ALU840 Staple gun, grey/green



**Rapid R40107318**

4-10 mm 4-10 mm

530 6

Staple gun ALU610, blue



**Rapid R467000000**

8 mm

850

Staple gun ESCO58



Adjustable impact force

**Rapid R5000516**

15 mm 6-14 mm

600 3

Staple gun ALU953, blue



**Rapid R20725902**

6-10 mm

1000 10

Rapid PRO Hamertacker R11



**Rapid R20726001**

4-6 mm

410 10

Hamertacker R19, voor 13 serie, box



**Rapid R5000005**

6-12 mm

1000 4

Hamertacker Rapid 311

Electric staple and nail guns



**Rapid R10642912**

15-20 mm 8-20 mm

3650 5

Staple gun electric 553 in case, 230V



**Rapid R22275001**

15 mm 6-14 mm

1810 5

Staple gun electric ESN114, 230V



**Rapid R24171201**

8-16 mm

1930 5

Staple gun electric R214, 230V



**Rapid R5000579**

15 mm 6-14 mm

1260 4

Staple gun electric hobby, 230V



**Rapid R24371500**

15 mm 6-14 mm

880 5

Electric staple gun Hobby, 230V



**Rapid R5000128**

15 mm 6-14 mm

1190 3

Staple gun electric BTX530 + Li-Ion battery, 7,2V



**Rapid R5000129**

15 mm 6-14 mm

1130 3

Electric staple gun ESN530, 230V



**Rapid R5000836**

25-50 mm

4000 2

Nail gun BN50 Li-Ion, 18V



**Rapid R5000837**

32-64 mm

4300 5

Rapid PRO 18V Li-ion nail gun BN64, Koffer

Cable staple guns




Adjustable impact force

**Rapid R20511750**

9-11 mm

890 5

Cable staple gun R28, metal, blister



Adjustable impact force

**Rapid R20511850**

10-14 mm 10-14 mm

860 5

PRO R36 Cable staple gun



**Rapid R5000051**

53  
6-16 mm

1770 5

Pneumatic staple gun PS101, case + oil, attachments, 300x53/10



**Rapid R5000054**

8  
15-50 mm

2620 4


Pneumatic nail gun PB131, case + oil, attachments, 300x 8/30



**Rapid R5000408**

240 12

Revolverponstang RP03



**Rapid R5000407**

300 12

Rapid RP05

Fence pliers



**Rapid R23467900**

VR16

280 5

Fence pliers FP216, blue/yellow



**Rapid R23468000**

VR16 VR22

200 5

Fence pliers FP20, universal



**Rapid R23468100**

VR22

280 5

Fence pliers FP222, blue/yellow



**Rapid R24311200**

VR38

200 12

Garden pliers GP238




**Rapid R40107753**

C50

280 8

Garden pliers LIG 150




**Rapid R40107754**

C50 C85

350 8

Garden pliers LIG 175

Riveters



**Rapid R5001125**

3.2 4.0 4.8

490 5

Riveter RP40 MULTI



**Rapid R5001126**

3.2 4.0 4.8

640 5

Riveter RP60 Swivel



**Rapid R5000374**

3.2 4.0 4.8

640 5

Riveter RP100



**Rapid R5000376**

3.2 4.0 4.8

750 6

Riveter RP10 Kit + 100 rivets



**Rapid R5000375**

3.2 4.0 4.8

308 6

Riveter RP60



**Rapid R21898000**

1150 5

Regulator 2000, stepless adjustable



**Rapid R24359800**

880 4

Thermal 1600, box

Hot-air guns

A hot air gun is very versatile and can help with jobs where a direct source of intense heat is required. The ability to melt, shrink, bend or even weld materials together is extremely useful for a variety of jobs in changing conditions.




**Rapid R24928000**

338 5

Glue gun Hobby 72W incl. 6 cartridges, ø12 mm



**Rapid R40108562**

460 6

Glue gun EG310, ø12 mm



**Rapid R40302919**

324 5

Glue gun EG130, low melt, ø9 mm



**Rapid R40303007**

870 5

Glue gun EG330, ø12 mm



**Rapid R40303073**

660 3

BGX300 Li-Ion Cordless glue gun, ø12 mm



**Rapid R5000018**

1300 3

Glue gun EG380 PRO box, ø12 mm



**Rapid R5000326**

620 5

Glue gun EG320 PRO, 120watt, ø12 mm



**Rapid R5000423**

160 5

Glue gun Point, ø7 mm



**Rapid R5000424**

320 5

Glue gun EG212, ø12 mm



**Rapid R5000425**

340 5

Glue gun CG270, cordless, ø12 mm



**Rapid R5000530**

320 5

Glue gun EG212 incl. glue sticks, ø12 mm



**Rapid R40107349**

150 10

Glue sticks ø9 mm, 125gr, low temp, transparant



**Rapid R40107350**

150 10

Glue sticks ø7 mm, 125gr, transparent



**Rapid R40107356**

150 10

Rapid glue 125g ø12x94 mm Multi blister



**Rapid R40107362**

250 10

Rapid glue 250g, 190 x ø12 mm



**Rapid R40108462**

150 10

Glue sticks ø9 mm, oval, red/green/blue



**Rapid R40108463**

150 10

Glue sticks ø9 mm, oval, gold/silver



**Rapid R40302768**

1000 10

Glue sticks ø12 mm PRO-T/PVC 1kg



**Rapid R40302777**

1000 10

Glue sticks ø12 mm PRO+ Metal, yellow, 1kg



**Rapid R40302787**

1000 10

Glue sticks 12 mm ASS/wood/teX/cork, 1kg



**Rapid R40302798**

1000 10

Glue sticks Eco-T, ø12x190 mm, 1kg



**Rapid R40302799**

1000 10

Glue sticks ø12 mm, GEN-T, 1kg



**Rapid R40302803**

1000 10

Glue sticks ø12 mm, PRO-B, white, 1kg



Rapid R24863000

110 120

Staples 10/4 | 5000x (39/4)



Rapid R11825700

220 50

Fine wire staples 13/4, galvanized, 5000x



Rapid R11830700

260 50

Fine wire staples 13/6, galvanized, 5000x



Rapid R11830726

150 50

Fine wire staples 13/6, stainless steel 2500x



Rapid R11835600

310 40

Fine wire staples 13/8, galvanized, 5000x



Rapid R11835626

150 50

Fine wire staples 13/8, stainless steel 2500x



Rapid R2485600

50 200

Staples Standard 24/6, galvanized, 1000x



Rapid R2485700

50 200

Staples Standard 24/6, copper plated, 1000x



Rapid R24858100

50 200

Staples Super Strong 24/6, stainless steel, 1000x



Rapid R11840600

380 35

Fine wire staples 13/10, galvanized, 5000x



Rapid R11850500

380 25

Fine wire staples 13/14, galvanized, 5000x



Rapid R40303081

380 5

Fine wire staples 13/10, 5000x



Rapid R40303082

50 5

Fine wire staples 13/14, 5000x



Rapid R24859800

230 40

Staples Standard 24/6, galvanized, 5000x



Rapid R24860000

230 40

Staples Standard 24/6, copper plated, 5000x



Rapid R30051146

252 60

Staples Amel 24/6, copper plated, 5000x



Rapid R24858300

60 150

Staples Super Strong 24/8, stainless steel, 1000x, AISI 304, CLASS 2



Rapid R24859200

120 80

Staples Strong 24/8, copper plated, 2000x



Rapid R24860100

310 10

Staples Super Strong 24/8+, galvanized 5000x





**Rapid R11884410** 36

620 20

Cable staples 36/10 mm DP, galvanized, box, 5x1000x



**Rapid R40109501** 53

80 50

Fine wire staples 53/4 mm, galvanized, 1600x



**Rapid R23808700** 53

260 60

Fine wire staples 53/4, galvanized, 5000x



**Rapid R11860410** 53

550 25

Fine wire staples 53/14, galvanized, 5000x



**Rapid R40109506** 53

410 5

Fine wire staples 53/14 mm, galvanized, 1080x



**Rapid R11860490** 53

670 20

Fine wire staples 53/16, galvanized, 5000x



**Rapid R11894301** 53

20 5

Fine wire staples 53/20 mm, galvanized, 1250x



**Rapid R11856250** 53

310 10

Fine wire staples 53/6, galvanized, 5000x



**Rapid R40109509** 53

80 5

Fine wire staples 53/6, stainless steel, 1080x



**Rapid R40109502** 53

60 5

Fine wire staples 53/6 mm, galvanized, 1080x



**Rapid R11857050** 53

350 35

Fine wire staples 53/8, galvanized, 5000x



**Rapid R40109503** 53

70 5

Fine wire staples 53/8 mm, galvanized, 1080x



**Rapid R40109504** 53

90 10

Fine wire staples 53/10, galvanized, 1080x



**Rapid R468080050** 58

192 6

Staples 58/8 mm, galvanized, box, 5000x



**Rapid R24873700** RK8

172 60

Staples RK8 Bostitch 2115, 6 mm, 5000x



**Rapid R24873800** SP19

150 60

Staples Standard SP19/6, galvanized, 5000x



**Rapid R11858810** 53

380 35

Fine wire staples 53/10, galvanized, 5000x



**Rapid R11859610** 53

490 30

Fine wire staples 53/12, galvanized, 5000x



**Rapid R40109505** 53

10 5

Fine wire staples 53/12 mm, galvanized, 1080x



**Rapid R24890200** 73

500 24

Staples Super Strong 73/6, galvanized, 5000x



**Rapid R24890300** 73

610 18

Staples Super Strong 73/8, galvanized, 5000x



**Rapid R24890400** 73

720 16

Staples Super Strong 73/10, galvanized, 5000x



**Rapid R24890800** 73

820 15

Staples Super Strong 73/12, galvanized, 5000x





**Rapid R11905711** 140

530  20

Flat wire staples 140/6, galvanized, 5000x



**Rapid R11908111** 140

620  20

Flat wire staples 140/8, galvanized, 5000x



**Rapid R11910711** 140

720  20

Flat wire staples 140/10, galvanized, 5000x



**Rapid R11910733** 140

150  50

Flat wire staples 140/10, stainless steel, 2000x



**Rapid R11912311** 140

830  15

Flat wire staples 140/12, galvanized, 5000x



**Rapid R11915611** 140

950  15

Flat wire staples 140/14, galvanized, 5000x



**Rapid R11895002** 606

610  6

Staples 606/12, galvanized, 4000x



**Rapid R40109527** 606

200  5

Staples 606/12 galvanized, narrow blister 1200x



**Rapid R11897602** 606

890  6

Staples 606/18, galvanized, 4000x



**Rapid R40109549** 970

148  20

Flat wire staples 970/6, galvanized, 1,34M

**Rapid**  <sup>®</sup>  
SVENSK EFFIXITY




**Rapid R40100532** T 8

690  20

Nails 8/15, small head, galvanized, 5000x



**Rapid R40109533** T 8

120  60

Nails 8/15 mm, galvanized, narrow blister, 1000x



**Rapid R40100533** T 8

890  12

Nails 8/19, small head, galvanized, 5000x



**Rapid R40014272** T 8

1080  12

Nails 8/25, small head, galvanized, 5000x



**Rapid R40109535** T 8

220  20

Nails 8/25 mm, galvanized, 1000x



**Rapid R40014273** T 8

1310  12

Nails 8/30, small head, galvanized, 5000x



**Rapid R40100534** T 8

1480  10

Nails 8/35, small head, galvanized, 5000x



**Rapid R40100535** T 8

1740  6

Nails 8/40, small head, galvanized, 5000x



**Rapid R40100537** T 8

2160  6

Nails 8/50, small head, galvanized, 5000x





**Rapid R5000817**

450 6

Nails 16A/32 mm 20°, galvanized, 2000x



**Rapid R5000819**

1330 6

Nails 16A/45 mm 20°, galvanized, 2000x



**Rapid R5000821**

1540 6

Nails 16A/64 mm 20°, galvanized, 2000x



**Rapid R40104405**

690 20

Nails 32/32, galvanized, superhard, 1000x



**Rapid R40108178**

190 5


Nagel 300/15, galvanized, 900x




**Rapid R5000383**

50 15

Rivets ø 3,2x8 mm, aluminum, incl. drill



**Rapid R5000378**

140 60

Standaard rivets ø4,0 x 8 mm, 100 pieces



**Rapid R5000384**

90 15

Rivets ø 4x12 mm, aluminum, incl. drill



**Rapid R5000385**

90 15

Rivets ø 4x14 mm, aluminum, incl. drill



**Rapid R5000387**

120 15

Rivets ø 4,8x10 mm, aluminum, incl. drill



**Rapid R5000388**

140 15

Rivets ø 4,8x12 mm, aluminum, incl. drill



**Rapid R5000389**

140 15

Nails 8/50, small head, galvanized, 5000x

Eyelets & grommets



**Rapid R5000409**

40 12

Eyelets Ø4 mm



**Rapid R5000412**

120 12

Grommets Ø21 x 10 mm, 25 pieces



Rivets

Rivets are also called pop rivets. They are used to secure hard materials, such as steel sheets and metal objects, when only one side of the material is accessible.



**Rapid R40108796**

VR16

130 5

Hogring VR16, 2-8 mm, galvanized, 400x



**Rapid R40108799**

VR16

410 5

Hogring VR16, 2-8 mm, galvanized, 1390x



**Rapid R40108808**

VR16

940 13

Hogring VR16, 2-8 mm, thickness 1.3 mm, galvanized, 3190x



**Rapid R40108802**

VR22

180 5

Hogring VR22, 5-11 mm, thickness 1.9 mm, galvanized, green, 215x



**Rapid R40108804**

VR22

170 5

Hogring VR22, 5-11 mm, galvanized, black, 215x



**Rapid R40108806**

VR22

990 5

Hogring VR22, 5-11 mm, thickness 2 mm, galvanized, 1100x




**Rapid R40108807**

VR22

860 5

Hogring VR22, 5-11 mm, thickness 1.9 mm, galvanized, green, 1100x



**Rapid R40108810**

VR22

1450 5

Hogring VR22, 5-11 mm, thickness 2 mm, galvanized, 1600x



**Rapid R40108811**

VR22

1260 5

Hogring VR22, 5-11 mm, thickness 1.9 mm, galvanized, green, 1600x



**Rapid R40109236**

VR38

240 5

Hogring VR38 4-14 mm, thickness 1.3 mm, galvanized, 300x



**Rapid R40107757**

C50

3050 4

Hogring C50, steel, thickness 1.3 mm, 4.200x



**Rapid R40107759**

C75

3050 4

Hogring C75, 6-18 mm, 1.3 mm, steel, 6000x



**Rapid R40108809**

VR16

830 5

Hogring VR16, 2-8 mm, thickness 1.3 mm, galvanized, green, 3190x



**Rapid R40017338**

VR22

1290 50

Hogring VR22 5-11 mm black 1600x



**Rapid R40108801**

VR22

20 5

Hogring VR22, 5-11 mm, thickness 2 mm galvanized, 215x




**Rapid R40107761**

C85









3700 4

Hogring C85, 6-20 mm, 1.3 mm, steel, 5000x



**dimartino**  
WHERE INNOVATION LIVES

Dimartino is a certified company that for over 50 years has specialized in the production of high-tech items in plastic, designed and manufactured in Italy with respect for the environment. Items intended for the garden, vegetable garden and small-scale agriculture, and perfect for hobby work and professionals.

 <p><b>Di Martino TS0010</b>  26</p> <p>Garden sprayer Conico 0,5L (ISO9001)</p>	 <p><b>Di Martino TS0015</b>  23</p> <p>Garden sprayer Conico 1L (ISO9001)</p>	 <p><b>Di Martino TS0030</b>  12</p> <p>Garden sprayer Garden 1500 1,5L (ISO9001)</p>	 <p><b>Di Martino TS0035</b>  9</p> <p>Garden sprayer Garden 2000 2L (ISO9001)</p>
--	--	--	--

**General terms and conditions of sale and delivery of Westparts B.V. in Wieringerwerf, The Netherlands**

For the private owned company with limited responsibility WESTPARTS B.V., by law established in Hoom, with office space in 1771 SP Wieringerwerf, De Stek 7.

**Article 1. Validity of these terms and conditions**

These terms and conditions are valid for every offer and/or every agreement between Westparts B.V. hereinafter referred to as "Westparts", and customers who have been informed about the terms and conditions, as long as none of the parties have denied in writing the validity of the terms. If one or more articles are regarded as invalid, the remaining articles remain valid.

**Article 2. Offers and agreements**

- All offers are without obligations, unless otherwise explicitly agreed upon in writing. Westparts has the right to withdraw any given offer within two working days after acceptance.
- Agreements are valid only upon written confirmation from Westparts to the customer; this also concerns agreements made through an intermediary.

**Article 3. Delivery**

The customer is obligated to accept the products when these are delivered to him, or when the products are made available to him according to the agreement. If the customer refuses to do so, or is late with passing on information or instructions essential for the delivery, the products will be stored at the customer's risk. The customer will in this case be responsible for all possible costs in this connection, and at least the storage costs.

**Article 4. Delivery time**

Any dates quoted for delivery are approximate only, unless otherwise has been agreed upon. If otherwise has been agreed upon, and Westparts do not deliver on time, the customer is obligated to hold Westparts liable in writing.

**Article 5. Back orders / partial deliveries**

Westparts has the right to deliver partially. This does not apply if the partial delivery has no independent value. If the products are delivered partially, Westparts has the right to invoice each delivery independently.

**Article 6. Technical requirements etc.**

If the products delivered in the Netherlands are to be used outside the Netherlands, Westparts is responsible for that the delivered products are in accordance with the technical requirements and/or standards that are demanded by laws or regulations in the country where the products are to be used, if the information regarding use in another country has been given upon finalizing the contract. All other technical requirements the customer has regarding the to-be-delivered products and which differ from the normal standards, must be explicitly informed upon the finalizing of the contract.

**Article 7. Changes**

Westparts has the right to deliver products that differs from the products described in the sales contract. If Westparts uses this right, and delivers a product that substantially differs from the product agreed upon, the customer has the right to annul the contract. The customer has the right to do so within 14 days after delivery date, or when he should have noticed the substantial differences.

**Article 8. Termination of the contract**

- Westparts' claims towards the customer are immediately effective in case of the following circumstances:
  - if after finalizing the agreement, Westparts receives information that gives Westparts reason to believe that the customer will not fulfil his obligations
  - if Westparts has asked the customer for security for the order when finalizing the contract, and security has not been given or is unsatisfactory.
 In case of the above mentioned circumstances, Westparts has the right to delay further execution of the agreement, as well as annul the agreement. This does not effect Westparts' rights for compensation.
- In case of unexpected circumstances having influence on persons and/or materials used or planned used by Westparts when carrying out the agreement, and if the unexpected circumstances are of such kind that it makes the execution impossible or utterly difficult, and/or leads to such costs that the carrying out of the agreement can not be reasonably defended, Westparts has the right to annul the agreement.

**Article 9. Warranties**

- Westparts is not responsible for production faults concerning the delivered goods.
- Westparts delivers goods with normal factory warranties and the production units are thus responsible in all cases.

**Article 10. Ownership**

- Products delivered by Westparts remains property of Westparts until the customer has fulfilled all responsibilities regarding all final contracts and agreements with Westparts:
  - any in return commitments with reference to delivered products or products to be delivered
  - potential claims due to the customer not having fulfilled his commitments according to the agreement
 Products delivered by Westparts falling under 10.1, can only be re-sold within a framework of a normal company management.
- The customer does not hold any authority to pawn or to establish any rights on the products. In case the customer does not live up to his responsibilities or there is a reasonable doubt regarding whether or not he will do so, Westparts has the right to remove or have removed products falling under article 10.1, from either the buyer or any third party holding the products in stock. The customer is legally bound to fully co-operate under penalty of a daily fine of 10% of the amount still to be paid.
- If a third party wants to establish any rights on the under the rights of ownership delivered goods, the buyer is legally bound to inform Westparts as soon as in fairness can be expected.
- The customer is obliged to:
  - insure and to keep insured the under the rights of ownership delivered good against fire-, explosion-, and water damage and against theft and to hand over the insurance policy for inspection if requested to do so.
  - to pawn all claims from the customer to the insures in connection to the under the rights of ownership delivered goods, to Westparts in the way that is prescribed in art. 3:239 BW.
  - to mark all under the rights of ownership delivered goods as Westparts property.
  - to lend cooperation in other ways to all reasonable measures that Westparts will take safeguarding her rights of ownership in connection with the goods and which do not unreasonably harm the customer in the normal practise of his company.

**Article 11. Complaints**

- The customer needs to (let) check the purchased goods up on delivery or as soon as possible after the delivery. The customer has to check if the delivered goods answers to the agreed upon, namely:
  - if the correct goods have been delivered
  - if the delivered goods answer to the agreed upon quantity
  - if the delivered goods meet the agreed upon quality requirements or
  - if these are lacking - if they do meet the demands one may have for normal use and/or commercial purpose
 If visible faults or shortages are established the customer has to inform Westparts within 8 days after delivery.
- Non visible faults have to be informed in writing within 8 days to Westparts, after the establishing of the faults, yet at the very latest within the given factory guarantee.
- Also when the customer complains in time, his obligation to payment and the purchase of the ordered goods stays valid. Goods can only be returned to Westparts after the foregoing permission in writing.

**Article 12. Price increase**

If Westparts has a special price agreement with a customer, Westparts nevertheless has the right to raise her prices, and has the right to charge the prices according to her valid pricelist upon delivery. If the price increase is more than 10%, the customer has the right to annul / disband the agreement.

**Article 13. Packaging**

The customer is obliged to return the transport packaging empty and undamaged within 30 days. If the customer does not meet his obligations with regards to the packaging, all extra costs to follow, will be for his own account. Such costs may be: costs due to late return shipment, costs of replacement, repair or cleaning.

**Article 14. Payment**

- Unless otherwise expressly stated payment for the goods is due no later than 30 days after invoice date:
  - by legal currency to Westparts by
  - by transferring the due amount to the informed account numbers in property of Westparts
 If full payment is not made by the due date, the buyer will automatically be in omission, and will be charged with an extra 1% interest per month, based on the amount he has to pay.
- In case of liquidation, bankruptcy, delay of payment from the customer, the obligations will be immediate effective.
- Payment should be made without discounts or settlement.
- Payment made by customer will first serve to settle all unpaid interest and costs, and then to settle the oldest invoice due, even if the customer states that payment is meant for a later invoice.

**Article 15. Collection costs**

- If the customer is inadequately or neglectful in carrying out his obligations, all reasonable extra costs for collecting the payment will be for the customers account. The minimum costs will be:
 

-Up till € 2.950,-	15%
-From above amount and up till € 5.900,-	10%
-From above amount and up till € 14.750,-	8%
-From above amount and up till € 58.990,-	5%
-From above amount and up	3%

 If Westparts can document higher costs made in connection with collecting the money, which were necessary and also reasonable, these costs will also be for the customers account. All judicial and extrajudicial collection costs that Westparts makes, are all to be paid by customer. This is applicable only in case of a legal process.
- 

**Article 16. Liability**

- Westparts is to the customer only liable:
- For damage due to shortcomings in the delivered goods concerns only the liability as settled in article 9 of these General Terms and Conditions.
  - Westparts is liable if damage has been caused by intention or crude guilt of Westparts or her executive inferiors.
  - The liability of Westparts is limited to the amount stated by the insurance, as far as the liability is covered by the insurance.
  - If the insurance in any case does not cover or does not proceed with payment, the liability will be limited to the invoice amount or if no invoice is existing the value of the agreed upon achievement.

**Article 17. Force Majeure**

- Under force majeure is to be understood: Circumstances that will unable the fulfillment of the agreement, which are not ascribable to Westparts. Among these the following will be included (if and as far as these circumstances make the fulfillment impossible or unreasonably complicated): strikes in other companies than Westparts', wild strikes or political strikes; general shortage or lack of necessary raw materials and other goods or services that are necessary to reach the agreed upon performance; not foreseen stagnation in connection with suppliers or other third parties who Westparts is depending on and general problems in transport.
- Westparts also has the right to refer to force majeure if circumstances that unable the fulfillment occur after Westparts should have met her obligations.
- During the period of force majeure the deliveries and other obligations of Westparts will be postponed. If this period due to force majeure which in Westparts is not able to meet her obligations, lasts longer than 3 months, both parties are entitled to annul the agreement, without any obligations with regards to compensation.
- If Westparts in the beginning of the period of force majeure already partially has fulfilled her obligations, or is able to fulfill her obligations only partially, Westparts has the right to invoice the partially delivered goods, or the goods that are to be partially delivered, and is the customer obligated to regard this invoice as a separate contract. This does not apply if the partial delivery has no independent value.

**Article 18. Disputes**

As a deviation from the statutory rules for the authorities of the civil court, all disputes between the customer and Westparts, as long as the court has the necessary authorities, will be settled by the Civil Court in Alkmaar. Nevertheless Westparts has the authority to summon the buyer to an according to the law or the applicable international treaty qualified court.

**Article 19. Applicable law**

All relationships between Westparts and the customer will be governed by Dutch law.

**Article 20. Changes in the General terms and conditions**

Westparts has the right to change the General terms and conditions. The changes will come into force on the announced time of commencement. Westparts will send the renewed terms and conditions to the customers in time. If no time of commencement has been announced to the customer, the changes will come into force as soon as the customer has received the announcement.

**Article 21. Translations**

In case of conflict between a translation and the Dutch version of these terms and conditions, the Dutch text shall prevail.

The above terms and conditions have been deposited with the Chamber of Commerce at Alkmaar under number 36040554.1781





**Address**

De Stek 7  
1771 SP Wieringerwerf  
The Netherlands

**Contact**

T. +31 (0)227 60 15 00

**General:**

[info@westparts.com](mailto:info@westparts.com)

**Sales:**

[sales@westparts.com](mailto:sales@westparts.com)

**Service:**

[service@westparts.com](mailto:service@westparts.com)

Visit our website for  
all detailed product information

[www.westparts.com](http://www.westparts.com)

